

# 4 4 4 4

## Flavomycin®

ANTIBIOTIC  
Type A  
Medicated Article

For increased rate of weight gain and improved feed efficiency in broiler chickens, growing-finishing swine and growing turkeys.

**ACTIVE DRUG INGREDIENTS**  
Bambermycins 4 grams per pound (8.8 grams per kilogram)

**INGREDIENTS**  
Roughage products and/or calcium carbonate, dried bambermycins fermentation product, ethoxyquin (a preservative), mineral oil.

**MIXING DIRECTIONS AND PERMITTED CLAIMS ON REVERSE SIDE**

**FOR USE IN MANUFACTURED FEEDS ONLY**

Not For Human Use  
Restricted Drug (California) -  
Use only as directed

Net Weight – 50 pounds  
(22.68 kg)

Distributed by:  
HUVEPHARMA, INC.  
Peachtree City, GA 30269

## Flavomycin® (bambermycins)

ANTIBIOTIC Type A Medicated Article

**PERMITTED CLAIMS AND LIMITATIONS**

SPECIES	DRUG	LEVEL/TON	CLAIM(S)	LIMITATIONS
Broiler Chickens	Bambermycins	1-2 Grams*	Increased rate of weight gain; improved feed efficiency	None
Growing-Finishing Swine	Bambermycins	2 Grams	Increased rate of weight gain; improved feed efficiency	None
	Bambermycins	2-4 Grams*	Increased rate of weight gain	
Growing Turkeys	Bambermycins	2 Grams	Increased rate of weight gain; improved feed efficiency	None
	Bambermycins	1-2 Grams*	Increased feed efficiency	

\*Only a single level of bambermycins (i.e., 4 grams/ton bambermycins) can be indicated on a feed tag. A different feed tag must be submitted for each level of bambermycins needed for your complete feeding program.

**MIXING DIRECTIONS:**

It is recommended that Flavomycin® 4 be diluted with a suitable grain carrier before addition to the final feed. A dilution of 1 part of Flavomycin® 4 and 9 parts grain carrier is the suggested working premix. The table below shows premix and working premix addition levels for various commonly used feeds:

FEED	BAMBERMYCINS LEVEL	POUNDS PREMIX/TON FLAVOMYCIN® 4	1-0 WORKING PREMIX (POUNDS/TON)
Broiler Chickens	1 gram/ton	.25	2.50
	2 grams/ton	.50	5.00
Growing-Finishing Swine	2 grams/ton	.50	5.00
	3 grams/ton	.75	7.50
	4 grams/ton	1.00	10.00
Growing Turkeys	1 gram/ton	.25	2.50
	2 grams/ton	.50	5.00

Thoroughly mix both working premix and finished feed to ensure complete and uniform distribution of the Flavomycin®.

**FEEDING DIRECTIONS:**

Feed containing Flavomycin® should be fed continuously as the sole ration.

**HUVEPHARMA®**  
NADA # 44-759, Approved by FDA

5040-02  
Rev. 01-2013

236059 H-235-002A 2-13  
FREIGHT SHIPPING BAG  
NET WEIGHT  
APPLICABLE FREIGHT CLASSIFICATION  
BANCROFT BAG, INC.  
18x7.5x33

H-235-002A  
RED 340 Green

Updated artwork approved: Theresa Palmer 08/01/16

PBFC 18x7.5x33 35PL .067  
REDUCED 50% FOR TUBER 4 ONLY